



## DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6090-N-01]

### Notice of Annual Factors for Determining Public Housing Agency Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs

**AGENCY:** Office of the Assistant Secretary for Public and Indian Housing, HUD.

**ACTION:** Notice.

**SUMMARY:** This Notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for housing agencies administering the Housing Choice Voucher (HCV), 5 Year Mainstream, and Moderate Rehabilitation programs, including Single Room Occupancy, during calendar year (CY) 2018.

**APPLICABILITY DATE:** January 1, 2018.

**FOR FURTHER INFORMATION CONTACT:** Miguel A. Fontánez, Director, Housing Voucher Financial Management Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, Room 4222, 451 Seventh Street, SW, Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing or speech impaired individuals may call TTY number 1-800-877-8337.

#### SUPPLEMENTAL INFORMATION:

##### A. Background

This Notice provides the Department's methodology used to determine the CY 2018 administrative fee rates by area, which the Office of Housing Voucher Programs (OHVP) will

use to compensate public housing agencies (PHA) for administering the HCV programs.

### **B. CY 2018 Methodology**

For CY 2018, in accordance with the Continuing Resolution (or Appropriations Act superseding it after March 26, 2018), administrative fees will be earned on the basis of vouchers leased as of the first day of each month. This data will be extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use.

Two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7200 voucher unit months leased in CY 2018. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2018. In years prior to 2010, a Column C rate was also established, which applied to all voucher unit months leased in dwelling units owned by the PHA. For CY 2018, as in recent years, there are no Column C administrative fee rates. Fees for leasing HA-owned units will be earned in the same manner and at the same Column A and Column B rates as for all other Voucher leasing.

The fee rates established for CY 2018, using the standard procedures, in some cases resulted in fee rates lower than those established for CY 2017. In those cases, the affected PHAs are being held harmless at the CY 2017 fee rates.

The fee rates for each PHA are generally those rates covering the fee areas in which each PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA so chooses, the PHA may request that the Department establish a blended fee rate schedule that will consider proportionately all areas in which participants are located. Once a blended rate schedule is established, it will be used to determine the PHA's fee eligibility for all months in CY 2018. The PHAs will be advised via the 2018 HCV Funding

Implementation Notice of when they may apply for blended fee rates and the deadline date for submitting such requests.

PHAs that operate over a large geographic area, defined as multiple counties, may request a higher administrative fee rate if eligible under the circumstance which will be described in the CY 2018 HCV Funding Implementation Notice. This notice will advise the PHAs when to apply for higher fee rates and the deadline date for such requests.

Accordingly, the Department issues the monthly per voucher unit fee rates to be used to determine PHA administrative fee eligibility for the programs identified in this Notice. These fee rates are posted on HUD's Web site at:

[http://portal.hud.gov/hudportal/HUD?src=/program\\_offices/public\\_indian\\_housing/programs/hc](http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hc) v., under Program Related Information.

Any questions concerning this Notice should be directed to the PHA's assigned representative at the Financial Management Center or to the Financial Management Division at [PIH.Financial.Management.Division@hud.gov](mailto:PIH.Financial.Management.Division@hud.gov).

### **C. MTW Agencies**

Where an MTW Agency has an alternative formula for calculating HCV Administrative Fees in Attachment A of their MTW Agreements, HUD will continue to calculate the HCV Administrative Fees in accordance with that MTW Agreement provision.

Dated: March 27, 2018.

---

Dominique Blom,  
General Deputy Assistant Secretary for  
Public and Indian Housing.

**[FR-6090-N-01]**

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
AK901	96.19	89.78	AL112	63.00	58.80
AL001	65.11	60.77	AL114	63.00	58.80
AL002	66.13	61.73	AL115	63.00	58.80
AL004	64.25	59.97	AL116	63.00	58.80
AL005	66.56	62.12	AL118	63.00	58.80
AL006	64.25	59.97	AL121	63.00	58.80
AL007	64.25	59.97	AL124	63.16	58.94
AL008	63.00	58.80	AL125	65.11	60.77
AL011	63.00	58.80	AL129	64.25	59.97
AL012	64.25	59.97	AL131	64.25	59.97
AL014	63.00	58.80	AL138	64.25	59.97
AL047	66.15	61.75	AL139	64.25	59.97
AL048	64.25	59.97	AL152	64.25	59.97
AL049	64.25	59.97	AL154	63.00	58.80
AL050	64.25	59.97	AL155	63.00	58.80
AL052	63.00	58.80	AL160	63.00	58.80
AL053	63.00	58.80	AL165	67.09	62.63
AL054	64.25	59.97	AL169	66.13	61.73
AL060	63.00	58.80	AL171	63.00	58.80
AL061	64.25	59.97	AL172	64.25	59.97
AL063	65.11	60.77	AL174	63.00	58.80
AL068	64.25	59.97	AL177	63.00	58.80
AL069	65.11	60.77	AL181	63.00	58.80
AL072	65.11	60.77	AL192	63.00	58.80
AL073	63.16	58.94	AL202	66.13	61.73
AL075	63.00	58.80	AR002	69.40	64.78
AL077	64.25	59.97	AR003	63.61	59.37
AL086	65.11	60.77	AR004	69.40	64.78
AL090	63.00	58.80	AR006	69.40	64.78
AL091	63.00	58.80	AR010	60.90	56.84
AL099	63.00	58.80	AR012	60.90	56.84
AL105	63.00	58.80	AR015	62.37	58.21
AL107	63.00	58.80	AR016	60.90	56.84

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
AR017	63.61	59.37	AR219	69.40	64.78
AR020	60.90	56.84	AR223	60.90	56.84
AR024	64.89	60.56	AR224	60.90	56.84
AR031	63.61	59.37	AR225	60.90	56.84
AR033	60.90	56.84	AR232	63.61	59.37
AR034	63.61	59.37	AR240	60.90	56.84
AR035	60.90	56.84	AR241	63.66	59.42
AR037	60.90	56.84	AR247	60.90	56.84
AR039	60.90	56.84	AR252	69.40	64.78
AR041	69.40	64.78	AR257	60.90	56.84
AR042	63.61	59.37	AR264	64.89	60.56
AR045	60.90	56.84	AR265	60.90	56.84
AR052	60.90	56.84	AR266	60.90	56.84
AR059	60.90	56.84	AZ001	69.65	65.00
AR066	60.90	56.84	AZ003	69.65	65.00
AR068	60.90	56.84	AZ004	68.85	64.26
AR082	60.90	56.84	AZ005	69.65	65.00
AR104	63.61	59.37	AZ006	76.15	71.08
AR117	60.90	56.84	AZ008	55.29	51.60
AR121	60.90	56.84	AZ009	69.65	65.00
AR131	63.61	59.37	AZ010	69.65	65.00
AR135	60.90	56.84	AZ013	77.38	72.22
AR152	60.90	56.84	AZ021	69.65	65.00
AR161	60.90	56.84	AZ023	58.25	54.37
AR163	63.61	59.37	AZ025	68.85	64.26
AR166	60.90	56.84	AZ028	69.65	65.00
AR170	69.40	64.78	AZ031	69.65	65.00
AR175	69.40	64.78	AZ032	69.65	65.00
AR176	60.90	56.84	AZ033	68.85	64.26
AR177	60.90	56.84	AZ034	57.22	53.41
AR181	63.61	59.37	AZ035	77.38	72.22
AR194	63.61	59.37	AZ037	57.22	53.41
AR197	60.90	56.84	AZ041	76.15	71.08
AR200	60.90	56.84	AZ043	93.25	87.04
AR210	60.90	56.84	AZ045	57.29	53.47
AR211	60.90	56.84	AZ880	69.65	65.00
AR213	60.90	56.84	AZ901	76.15	71.08
AR214	60.90	56.84	CA001	121.22	113.15
AR215	60.90	56.84	CA002	121.22	113.15

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
CA003	121.22	113.15	CA066	105.24	98.22
CA004	121.22	113.15	CA067	121.22	113.15
CA005	92.06	85.92	CA068	121.22	113.15
CA006	84.47	78.83	CA069	84.47	78.83
CA007	92.06	85.92	CA070	73.26	68.38
CA008	92.38	86.22	CA071	121.22	113.15
CA010	121.22	113.15	CA072	121.22	113.15
CA011	121.22	113.15	CA073	105.24	98.22
CA014	121.22	113.15	CA074	121.22	113.15
CA019	96.71	90.27	CA075	121.22	113.15
CA021	118.37	110.46	CA076	118.37	110.46
CA022	96.71	90.27	CA077	108.39	101.15
CA023	79.37	74.08	CA079	121.22	113.15
CA024	88.34	82.46	CA082	121.22	113.15
CA026	88.95	83.01	CA084	86.28	80.52
CA027	96.71	90.27	CA085	118.23	110.36
CA028	84.47	78.83	CA086	82.47	76.96
CA030	78.77	73.53	CA088	118.23	110.36
CA031	121.22	113.15	CA092	121.22	113.15
CA032	121.22	113.15	CA093	121.22	113.15
CA033	104.44	97.46	CA094	121.22	113.15
CA035	121.22	113.15	CA096	84.47	78.83
CA039	87.90	82.04	CA102	121.22	113.15
CA041	105.24	98.22	CA103	121.22	113.15
CA043	81.18	75.76	CA104	121.22	113.15
CA044	92.06	85.92	CA105	121.22	113.15
CA048	69.66	65.02	CA106	84.47	78.83
CA052	121.22	113.15	CA108	108.39	101.15
CA053	76.24	71.15	CA110	121.22	113.15
CA055	105.24	98.22	CA111	121.22	113.15
CA056	121.22	113.15	CA114	121.22	113.15
CA058	121.22	113.15	CA116	108.39	101.15
CA059	121.22	113.15	CA117	121.22	113.15
CA060	121.22	113.15	CA118	121.22	113.15
CA061	80.05	74.72	CA119	121.22	113.15
CA062	121.22	113.15	CA120	121.22	113.15
CA063	108.39	101.15	CA121	121.22	113.15
CA064	104.94	97.94	CA123	121.22	113.15
CA065	105.24	98.22	CA125	105.24	98.22

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
CA126	121.22	113.15	CO090	68.45	63.89
CA128	92.06	85.92	CO095	96.65	90.21
CA131	105.24	98.22	CO101	65.46	61.09
CA132	108.39	101.15	CO103	79.38	74.10
CA136	121.22	113.15	CO888	68.19	63.64
CA143	87.90	82.04	CO911	73.82	68.90
CA144	80.05	74.72	CO921	73.82	68.90
CA149	92.06	85.92	CT001	95.06	88.72
CA151	92.06	85.92	CT002	101.89	95.11
CA155	108.39	101.15	CT003	89.59	83.61
CO001	73.82	68.90	CT004	98.76	92.17
CO002	68.19	63.64	CT005	89.59	83.61
CO005	76.47	71.37	CT006	80.63	75.25
CO006	65.46	61.09	CT007	101.89	95.11
CO016	83.77	78.18	CT008	89.59	83.61
CO019	73.82	68.90	CT009	89.59	83.61
CO024	65.46	61.09	CT010	79.11	73.83
CO028	68.87	64.28	CT011	98.76	92.17
CO031	65.46	61.09	CT013	89.59	83.61
CO034	79.38	74.10	CT015	95.06	88.72
CO035	68.45	63.89	CT017	95.06	88.72
CO036	73.82	68.90	CT018	87.95	82.09
CO040	101.08	94.35	CT019	101.89	95.11
CO041	79.38	74.10	CT020	101.89	95.11
CO043	76.47	71.37	CT023	89.59	83.61
CO045	65.46	61.09	CT024	79.11	73.83
CO048	73.82	68.90	CT026	89.59	83.61
CO049	73.82	68.90	CT027	95.06	88.72
CO050	73.82	68.90	CT028	89.59	83.61
CO051	86.36	80.60	CT029	98.76	92.17
CO052	73.82	68.90	CT030	95.06	88.72
CO057	73.82	68.90	CT031	79.11	73.83
CO058	73.82	68.90	CT032	89.59	83.61
CO061	83.77	78.18	CT033	89.59	83.61
CO070	83.77	78.18	CT036	89.59	83.61
CO071	68.87	64.28	CT038	89.59	83.61
CO072	73.82	68.90	CT039	89.59	83.61
CO079	76.47	71.37	CT040	89.59	83.61
CO087	101.08	94.35	CT041	89.59	83.61

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
CT042	98.76	92.17	FL024	75.01	70.01
CT047	80.63	75.25	FL025	72.14	67.35
CT048	89.59	83.61	FL026	62.28	58.12
CT049	89.59	83.61	FL028	95.07	88.73
CT051	89.59	83.61	FL030	70.87	66.15
CT052	95.06	88.72	FL031	60.29	56.27
CT053	89.59	83.61	FL032	61.32	57.22
CT058	79.11	73.83	FL033	78.15	72.93
CT061	79.11	73.83	FL034	74.82	69.83
CT063	98.76	92.17	FL035	60.83	56.78
CT067	98.76	92.17	FL037	70.87	66.15
CT068	89.59	83.61	FL041	79.71	74.40
CT901	89.59	83.61	FL045	79.71	74.40
DC001	111.97	104.51	FL046	60.83	56.78
DC880	111.97	104.51	FL047	78.66	73.43
DE001	88.71	82.80	FL049	60.29	56.27
DE002	77.88	72.69	FL053	61.32	57.22
DE003	88.71	82.80	FL057	60.29	56.27
DE005	88.71	82.80	FL060	76.61	71.50
DE901	77.88	72.69	FL062	74.82	69.83
FL001	70.87	66.15	FL063	67.24	62.75
FL002	74.82	69.83	FL066	101.53	94.77
FL003	74.82	69.83	FL068	101.53	94.77
FL004	78.15	72.93	FL069	60.83	56.78
FL005	101.53	94.77	FL070	67.24	62.75
FL007	75.01	70.01	FL071	62.28	58.12
FL008	82.12	76.64	FL072	75.01	70.01
FL009	79.29	74.00	FL073	66.59	62.15
FL010	95.07	88.73	FL075	74.82	69.83
FL011	62.28	58.12	FL079	95.07	88.73
FL013	103.66	96.76	FL080	79.29	74.00
FL015	66.59	62.15	FL081	95.07	88.73
FL017	101.53	94.77	FL083	79.29	74.00
FL018	60.83	56.78	FL092	61.32	57.22
FL019	72.14	67.35	FL093	78.15	72.93
FL020	72.14	67.35	FL102	60.83	56.78
FL021	79.29	74.00	FL104	74.82	69.83
FL022	75.01	70.01	FL105	82.12	76.64
FL023	82.12	76.64	FL106	78.15	72.93



<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
FL109	60.29	56.27	GA901	81.15	75.73
FL110	60.83	56.78	GQ901	112.56	105.07
FL113	75.01	70.01	HI002	110.24	102.89
FL116	95.07	88.73	HI003	122.06	113.94
FL119	79.29	74.00	HI004	122.08	113.95
FL123	76.07	71.00	HI005	124.17	115.90
FL128	78.66	73.43	HI901	122.06	113.94
FL132	79.42	74.14	IA002	64.50	60.20
FL136	95.07	88.73	IA004	67.81	63.29
FL137	74.82	69.83	IA015	64.50	60.20
FL139	62.28	58.12	IA018	67.92	63.40
FL141	81.86	76.40	IA020	77.53	72.37
FL144	103.66	96.76	IA022	79.02	73.76
FL145	101.53	94.77	IA023	68.21	63.67
FL147	60.83	56.78	IA024	75.05	70.05
FL201	78.15	72.93	IA030	64.50	60.20
FL202	60.29	56.27	IA038	75.35	70.32
FL881	101.53	94.77	IA042	64.50	60.20
FL888	74.82	69.83	IA045	70.61	65.90
GA001	66.56	62.12	IA047	64.50	60.20
GA002	66.56	62.12	IA049	64.50	60.20
GA004	66.56	62.12	IA050	75.35	70.32
GA006	81.15	75.73	IA054	64.50	60.20
GA007	66.56	62.12	IA056	64.50	60.20
GA009	66.56	62.12	IA057	64.50	60.20
GA010	81.15	75.73	IA084	64.50	60.20
GA011	81.15	75.73	IA087	69.46	64.83
GA023	66.56	62.12	IA098	67.95	63.43
GA062	63.11	58.90	IA100	64.50	60.20
GA078	81.15	75.73	IA107	64.50	60.20
GA095	81.15	75.73	IA108	64.50	60.20
GA116	81.15	75.73	IA113	75.35	70.32
GA188	81.15	75.73	IA114	64.50	60.20
GA228	81.15	75.73	IA117	68.21	63.67
GA232	81.15	75.73	IA119	64.50	60.20
GA237	81.15	75.73	IA120	77.53	72.37
GA264	81.15	75.73	IA122	64.50	60.20
GA269	81.15	75.73	IA124	64.50	60.20
GA285	66.56	62.12	IA125	64.50	60.20

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
IA126	70.61	65.90	IL040	59.78	55.80
IA127	64.50	60.20	IL042	59.78	55.80
IA128	64.50	60.20	IL043	59.78	55.80
IA129	64.50	60.20	IL050	59.78	55.80
IA130	64.50	60.20	IL051	65.65	61.28
IA131	77.53	72.37	IL052	59.78	55.80
IA132	75.35	70.32	IL053	59.78	55.80
IA136	64.67	60.36	IL054	93.48	87.24
ID005	64.88	60.56	IL056	93.48	87.24
ID013	80.63	75.25	IL057	59.78	55.80
ID016	80.63	75.25	IL059	59.78	55.80
ID021	80.63	75.25	IL061	60.49	56.45
ID901	67.16	62.68	IL074	64.46	60.16
IL002	93.48	87.24	IL076	59.78	55.80
IL003	73.82	68.89	IL079	59.78	55.80
IL004	67.27	62.78	IL082	59.78	55.80
IL006	65.88	61.49	IL083	67.13	62.65
IL009	70.61	65.90	IL084	63.41	59.19
IL010	70.61	65.90	IL085	61.03	56.97
IL011	59.78	55.80	IL086	63.41	59.19
IL012	63.65	59.41	IL087	59.78	55.80
IL014	71.51	66.75	IL088	59.78	55.80
IL015	64.46	60.16	IL089	74.08	69.14
IL016	59.78	55.80	IL090	93.48	87.24
IL018	70.61	65.90	IL091	59.78	55.80
IL020	70.61	65.90	IL092	93.48	87.24
IL022	67.13	62.65	IL095	70.12	65.44
IL024	93.48	87.24	IL096	59.78	55.80
IL025	93.48	87.24	IL101	93.48	87.24
IL026	93.48	87.24	IL103	93.48	87.24
IL028	67.27	62.78	IL104	73.82	68.89
IL030	64.46	60.16	IL107	93.48	87.24
IL032	71.51	66.75	IL116	93.48	87.24
IL034	65.88	61.49	IL117	65.65	61.28
IL035	71.51	66.75	IL120	59.78	55.80
IL036	59.78	55.80	IL122	67.13	62.65
IL037	59.78	55.80	IL123	59.78	55.80
IL038	59.78	55.80	IL124	73.82	68.89
IL039	63.78	59.53	IL126	59.78	55.80

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
IL130	93.48	87.24	IN060	51.38	47.95
IL131	70.61	65.90	IN062	55.15	51.49
IL136	93.48	87.24	IN067	51.38	47.95
IL137	94.28	87.99	IN071	61.00	56.93
IL901	93.48	87.24	IN073	51.38	47.95
IN002	51.38	47.95	IN077	52.30	48.81
IN003	57.12	53.33	IN078	53.78	50.19
IN004	53.21	49.66	IN079	63.16	58.95
IN005	53.21	49.66	IN080	63.16	58.95
IN006	63.16	58.95	IN084	51.38	47.95
IN007	55.57	51.87	IN086	51.38	47.95
IN009	51.38	47.95	IN091	51.38	47.95
IN010	69.74	65.10	IN092	51.38	47.95
IN011	69.74	65.10	IN094	53.34	49.78
IN012	60.17	56.16	IN100	56.23	52.48
IN015	56.23	52.48	IN101	55.20	51.52
IN016	55.21	51.53	IN901	63.16	58.95
IN017	63.16	58.95	KS001	62.67	58.48
IN018	51.38	47.95	KS002	59.06	55.13
IN019	55.09	51.41	KS004	63.63	59.38
IN020	56.23	52.48	KS006	56.07	52.33
IN021	53.21	49.66	KS017	56.07	52.33
IN022	56.61	52.85	KS038	56.07	52.33
IN023	60.17	56.16	KS041	56.07	52.33
IN025	60.17	56.16	KS043	62.67	58.48
IN026	55.20	51.52	KS053	65.26	60.91
IN029	69.74	65.10	KS062	56.07	52.33
IN031	51.38	47.95	KS063	56.07	52.33
IN032	52.30	48.81	KS068	62.67	58.48
IN035	53.21	49.66	KS073	63.63	59.38
IN037	55.21	51.53	KS091	56.07	52.33
IN041	51.38	47.95	KS149	56.07	52.33
IN043	51.38	47.95	KS159	56.07	52.33
IN047	51.38	47.95	KS161	56.07	52.33
IN048	51.38	47.95	KS162	62.67	58.48
IN050	51.38	47.95	KS165	56.07	52.33
IN055	52.30	48.81	KS166	56.07	52.33
IN056	53.78	50.19	KS167	56.07	52.33
IN058	57.64	53.81	KS168	59.06	55.13

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
KS169	63.63	59.38
KS170	56.07	52.33
KY001	60.17	56.16
KY003	55.54	51.84
KY004	66.64	62.20
KY007	54.52	50.89
KY008	54.52	50.89
KY009	60.17	56.16
KY011	65.73	61.35
KY012	55.21	51.53
KY015	67.62	63.10
KY017	54.52	50.89
KY021	54.52	50.89
KY022	54.52	50.89
KY026	54.52	50.89
KY027	54.52	50.89
KY035	54.52	50.89
KY040	54.52	50.89
KY047	54.52	50.89
KY053	54.52	50.89
KY056	54.52	50.89
KY061	66.64	62.20
KY071	60.61	56.57
KY086	54.52	50.89
KY107	54.52	50.89
KY121	54.52	50.89
KY132	60.38	56.36
KY133	67.62	63.10
KY135	67.62	63.10
KY136	67.62	63.10
KY137	54.52	50.89
KY138	54.52	50.89
KY140	66.64	62.20
KY141	54.52	50.89
KY142	59.61	55.63
KY150	54.52	50.89
KY157	54.52	50.89
KY160	54.52	50.89
KY161	59.61	55.63

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
KY163	54.52	50.89
KY169	54.52	50.89
KY171	60.17	56.16
KY901	66.64	62.20
LA001	70.16	65.47
LA002	68.68	64.11
LA003	75.75	70.70
LA004	65.55	61.18
LA005	65.55	61.18
LA006	65.55	61.18
LA009	75.75	70.70
LA012	70.16	65.47
LA013	70.16	65.47
LA023	65.55	61.18
LA024	65.07	60.73
LA029	65.55	61.18
LA031	65.07	60.73
LA032	65.55	61.18
LA033	65.07	60.73
LA036	65.07	60.73
LA037	69.99	65.33
LA046	65.55	61.18
LA057	65.55	61.18
LA063	65.55	61.18
LA067	65.07	60.73
LA074	65.07	60.73
LA086	65.07	60.73
LA094	70.16	65.47
LA097	65.07	60.73
LA101	75.75	70.70
LA103	70.16	65.47
LA104	65.55	61.18
LA111	65.07	60.73
LA114	65.07	60.73
LA115	65.07	60.73
LA120	65.55	61.18
LA122	65.55	61.18
LA125	65.07	60.73
LA128	65.07	60.73

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
LA129	65.55	61.18	LA222	65.07	60.73
LA132	65.07	60.73	LA229	65.07	60.73
LA159	65.07	60.73	LA230	68.68	64.11
LA163	65.07	60.73	LA232	65.07	60.73
LA165	65.55	61.18	LA233	65.07	60.73
LA166	65.07	60.73	LA238	70.16	65.47
LA168	65.55	61.18	LA241	65.07	60.73
LA169	65.07	60.73	LA242	65.07	60.73
LA171	65.55	61.18	LA246	65.07	60.73
LA172	65.55	61.18	LA247	65.07	60.73
LA173	65.55	61.18	LA248	65.07	60.73
LA174	65.55	61.18	LA253	67.18	62.71
LA178	65.55	61.18	LA257	65.07	60.73
LA179	65.55	61.18	LA258	65.07	60.73
LA181	70.16	65.47	LA266	65.55	61.18
LA182	65.07	60.73	LA888	68.68	64.11
LA184	68.68	64.11	LA889	70.16	65.47
LA186	65.55	61.18	LA903	70.16	65.47
LA187	70.16	65.47	MA001	113.70	106.13
LA188	65.07	60.73	MA002	122.89	114.69
LA189	65.55	61.18	MA003	122.89	114.69
LA190	68.68	64.11	MA005	113.70	106.13
LA192	65.07	60.73	MA006	113.76	106.18
LA194	67.18	62.71	MA007	113.70	106.13
LA195	65.07	60.73	MA008	113.70	106.13
LA196	65.55	61.18	MA010	113.70	106.13
LA199	75.75	70.70	MA012	113.70	106.13
LA202	75.75	70.70	MA013	122.89	114.69
LA204	75.75	70.70	MA014	122.89	114.69
LA205	75.75	70.70	MA015	122.89	114.69
LA206	65.55	61.18	MA016	122.89	114.69
LA207	65.55	61.18	MA017	122.89	114.69
LA211	67.18	62.71	MA018	113.76	106.18
LA212	65.07	60.73	MA019	122.89	114.69
LA213	69.99	65.33	MA020	122.89	114.69
LA214	65.55	61.18	MA022	122.89	114.69
LA215	65.07	60.73	MA023	122.89	114.69
LA219	75.75	70.70	MA024	113.70	106.13
LA220	65.07	60.73	MA025	122.89	114.69

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
MA026	113.70	106.13	MA074	122.89	114.69
MA027	122.89	114.69	MA075	122.89	114.69
MA028	122.89	114.69	MA076	113.70	106.13
MA029	113.70	106.13	MA077	113.70	106.13
MA031	122.89	114.69	MA078	113.70	106.13
MA032	122.89	114.69	MA079	122.89	114.69
MA033	122.89	114.69	MA080	113.70	106.13
MA034	113.70	106.13	MA081	113.70	106.13
MA035	113.70	106.13	MA082	113.70	106.13
MA036	122.89	114.69	MA084	113.70	106.13
MA037	113.70	106.13	MA085	113.70	106.13
MA039	113.70	106.13	MA086	113.70	106.13
MA040	122.89	114.69	MA087	113.70	106.13
MA041	113.70	106.13	MA088	113.70	106.13
MA042	122.89	114.69	MA089	122.89	114.69
MA043	113.70	106.13	MA090	122.89	114.69
MA044	122.89	114.69	MA091	122.89	114.69
MA045	122.89	114.69	MA092	122.89	114.69
MA046	123.18	114.98	MA093	122.89	114.69
MA047	123.18	114.98	MA094	114.15	106.54
MA048	122.89	114.69	MA095	123.18	114.98
MA050	113.70	106.13	MA096	114.15	106.54
MA051	113.70	106.13	MA098	122.89	114.69
MA053	122.89	114.69	MA099	122.89	114.69
MA054	122.89	114.69	MA100	113.70	106.13
MA055	122.89	114.69	MA101	122.89	114.69
MA056	122.89	114.69	MA105	113.70	106.13
MA057	122.89	114.69	MA106	113.70	106.13
MA059	122.89	114.69	MA107	113.70	106.13
MA060	113.70	106.13	MA108	113.70	106.13
MA061	122.89	114.69	MA109	122.89	114.69
MA063	122.89	114.69	MA110	123.18	114.98
MA065	122.89	114.69	MA111	122.89	114.69
MA066	113.70	106.13	MA112	122.89	114.69
MA067	122.89	114.69	MA116	122.89	114.69
MA069	122.89	114.69	MA117	122.89	114.69
MA070	122.89	114.69	MA118	122.89	114.69
MA072	122.89	114.69	MA119	122.89	114.69
MA073	122.89	114.69	MA121	122.89	114.69

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
MA122	122.89	114.69	MD023	82.41	76.90
MA123	113.70	106.13	MD024	111.97	104.51
MA125	122.89	114.69	MD025	82.41	76.90
MA127	113.70	106.13	MD027	82.41	76.90
MA133	122.89	114.69	MD028	64.64	60.32
MA134	122.89	114.69	MD029	88.71	82.80
MA135	122.89	114.69	MD032	82.41	76.90
MA138	123.18	114.98	MD033	82.41	76.90
MA139	113.70	106.13	MD034	82.41	76.90
MA140	122.89	114.69	MD901	111.97	104.51
MA147	122.89	114.69	ME001	63.50	59.26
MA154	122.89	114.69	ME002	63.50	59.26
MA155	122.89	114.69	ME003	101.09	94.36
MA165	122.89	114.69	ME004	63.50	59.26
MA170	113.76	106.18	ME005	72.34	67.51
MA172	113.70	106.13	ME006	77.30	72.14
MA174	122.89	114.69	ME007	72.34	67.51
MA180	123.18	114.98	ME008	66.76	62.30
MA181	123.18	114.98	ME009	73.43	68.54
MA188	113.70	106.13	ME011	88.93	83.00
MA880	122.89	114.69	ME015	101.09	94.36
MA881	122.89	114.69	ME018	73.43	68.54
MA882	113.70	106.13	ME019	81.02	75.60
MA883	122.89	114.69	ME020	101.09	94.36
MA901	122.89	114.69	ME021	73.43	68.54
MD001	82.41	76.90	ME025	63.50	59.26
MD002	82.41	76.90	ME027	65.18	60.84
MD003	111.97	104.51	ME028	88.93	83.00
MD004	111.97	104.51	ME030	66.76	62.30
MD006	64.64	60.32	ME901	62.33	58.17
MD007	111.97	104.51	MI001	65.52	61.15
MD009	62.31	58.16	MI003	65.52	61.15
MD014	74.06	69.12	MI005	65.52	61.15
MD015	111.97	104.51	MI006	56.03	52.29
MD016	88.71	82.80	MI008	65.52	61.15
MD018	82.41	76.90	MI009	56.40	52.63
MD019	74.76	69.76	MI010	57.11	53.31
MD021	93.48	87.24	MI019	53.97	50.37
MD022	111.97	104.51	MI020	53.97	50.37

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
MI023	54.08	50.47	MI112	53.97	50.37
MI027	65.52	61.15	MI115	61.85	57.72
MI030	53.97	50.37	MI117	53.97	50.37
MI031	61.85	57.72	MI119	53.97	50.37
MI032	57.11	53.31	MI120	57.11	53.31
MI035	59.05	55.12	MI121	58.26	54.38
MI036	53.97	50.37	MI132	53.97	50.37
MI037	65.52	61.15	MI139	65.52	61.15
MI038	56.62	52.86	MI157	65.52	61.15
MI039	65.52	61.15	MI167	62.82	58.63
MI040	65.52	61.15	MI168	62.82	58.63
MI044	65.52	61.15	MI178	53.97	50.37
MI045	65.52	61.15	MI186	54.08	50.47
MI047	53.97	50.37	MI194	62.82	58.63
MI048	65.52	61.15	MI198	61.85	57.72
MI049	53.97	50.37	MI880	62.82	58.63
MI050	53.97	50.37	MI901	65.52	61.15
MI051	65.52	61.15	MN001	87.93	82.07
MI052	65.52	61.15	MN002	87.93	82.07
MI055	65.52	61.15	MN003	65.04	60.71
MI058	62.82	58.63	MN006	60.79	56.74
MI059	65.52	61.15	MN007	65.04	60.71
MI060	57.89	54.02	MN008	59.95	55.95
MI061	58.26	54.38	MN009	59.95	55.95
MI063	53.97	50.37	MN018	59.95	55.95
MI064	78.06	72.86	MN021	73.01	68.14
MI066	61.85	57.72	MN032	59.95	55.95
MI070	57.89	54.02	MN034	59.95	55.95
MI073	61.85	57.72	MN037	59.95	55.95
MI074	58.26	54.38	MN038	67.00	62.53
MI080	59.91	55.92	MN049	59.95	55.95
MI084	57.89	54.02	MN063	65.32	60.97
MI087	57.89	54.02	MN067	87.93	82.07
MI089	65.52	61.15	MN073	65.04	60.71
MI093	61.85	57.72	MN077	65.40	61.05
MI094	53.97	50.37	MN085	59.95	55.95
MI096	65.52	61.15	MN090	59.95	55.95
MI097	65.52	61.15	MN101	59.95	55.95
MI100	65.52	61.15	MN107	59.95	55.95



<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
MN128	59.95	55.95	MN801	87.93	82.07
MN144	87.93	82.07	MN802	87.93	82.07
MN147	87.93	82.07	MN803	87.93	82.07
MN151	72.80	67.96	MO001	64.46	60.16
MN152	87.93	82.07	MO002	62.67	58.48
MN153	59.95	55.95	MO003	61.74	57.62
MN154	59.95	55.95	MO004	64.46	60.16
MN158	73.01	68.14	MO006	64.46	60.16
MN161	62.90	58.70	MO007	61.74	57.62
MN163	87.93	82.07	MO008	61.74	57.62
MN164	73.01	68.14	MO009	61.74	57.62
MN166	59.95	55.95	MO010	61.74	57.62
MN167	65.32	60.97	MO014	61.74	57.62
MN168	62.90	58.70	MO016	61.74	57.62
MN169	59.95	55.95	MO017	62.67	58.48
MN170	87.93	82.07	MO030	62.67	58.48
MN171	61.92	57.78	MO037	61.74	57.62
MN172	67.00	62.53	MO040	61.74	57.62
MN173	59.95	55.95	MO053	62.67	58.48
MN174	59.95	55.95	MO058	61.74	57.62
MN176	59.95	55.95	MO064	61.74	57.62
MN177	59.95	55.95	MO065	61.74	57.62
MN178	62.90	58.70	MO072	61.74	57.62
MN179	59.95	55.95	MO074	61.74	57.62
MN180	59.95	55.95	MO107	61.74	57.62
MN182	59.95	55.95	MO129	61.74	57.62
MN184	87.93	82.07	MO133	61.74	57.62
MN188	59.95	55.95	MO145	61.74	57.62
MN190	59.95	55.95	MO149	61.74	57.62
MN191	59.95	55.95	MO188	61.74	57.62
MN192	59.95	55.95	MO190	61.74	57.62
MN193	67.36	62.88	MO192	61.74	57.62
MN197	59.95	55.95	MO193	62.67	58.48
MN200	59.95	55.95	MO196	62.67	58.48
MN203	62.90	58.70	MO197	62.67	58.48
MN212	87.93	82.07	MO198	61.74	57.62
MN216	87.93	82.07	MO199	64.46	60.16
MN219	65.32	60.97	MO200	61.74	57.62
MN220	65.40	61.05	MO203	61.74	57.62

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
MO204	62.67	58.48	NC006	65.90	61.52
MO205	64.46	60.16	NC007	63.68	59.43
MO206	61.74	57.62	NC008	69.77	65.11
MO207	61.74	57.62	NC009	64.73	60.41
MO209	61.74	57.62	NC011	65.90	61.52
MO210	62.67	58.48	NC012	65.90	61.52
MO212	61.74	57.62	NC013	76.08	71.00
MO213	62.67	58.48	NC014	60.35	56.32
MO215	61.74	57.62	NC015	63.68	59.43
MO216	61.74	57.62	NC018	60.35	56.32
MO217	61.74	57.62	NC019	63.68	59.43
MO227	64.46	60.16	NC020	60.35	56.32
MS004	62.44	58.28	NC021	76.08	71.00
MS005	65.02	60.69	NC022	63.68	59.43
MS006	62.44	58.28	NC025	60.35	56.32
MS016	64.89	60.56	NC032	60.35	56.32
MS019	62.44	58.28	NC035	60.91	56.85
MS030	62.44	58.28	NC039	62.69	58.52
MS040	65.02	60.69	NC050	63.44	59.21
MS057	62.44	58.28	NC056	67.09	62.63
MS058	76.73	71.60	NC057	69.77	65.11
MS095	62.44	58.28	NC059	65.90	61.52
MS103	76.73	71.60	NC065	69.77	65.11
MS107	62.44	58.28	NC070	66.37	61.93
MS128	62.44	58.28	NC071	62.69	58.52
MS301	65.02	60.69	NC072	66.09	61.69
MT001	83.63	78.06	NC075	60.35	56.32
MT002	74.04	69.12	NC077	60.35	56.32
MT003	69.28	64.65	NC081	65.90	61.52
MT004	80.55	75.18	NC087	63.68	59.43
MT006	65.26	60.92	NC089	60.35	56.32
MT015	70.71	65.99	NC098	63.68	59.43
MT033	75.28	70.25	NC102	66.37	61.93
MT036	70.71	65.99	NC104	76.08	71.00
MT901	83.63	78.06	NC118	60.35	56.32
NC001	63.68	59.43	NC120	76.08	71.00
NC002	76.08	71.00	NC134	66.37	61.93
NC003	69.77	65.11	NC137	63.68	59.43
NC004	60.35	56.32	NC138	60.35	56.32

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
NC139	60.35	56.32
NC140	63.68	59.43
NC141	60.35	56.32
NC144	63.68	59.43
NC145	60.35	56.32
NC146	60.35	56.32
NC147	63.68	59.43
NC149	60.35	56.32
NC150	60.35	56.32
NC151	60.58	56.54
NC152	63.68	59.43
NC155	60.35	56.32
NC159	67.09	62.63
NC160	60.35	56.32
NC161	60.35	56.32
NC163	63.44	59.21
NC164	76.08	71.00
NC165	60.35	56.32
NC166	65.90	61.52
NC167	61.47	57.38
NC173	63.68	59.43
NC175	63.68	59.43
NC901	60.35	56.32
ND001	73.01	68.14
ND002	73.01	68.14
ND003	73.01	68.14
ND009	73.01	68.14
ND010	73.01	68.14
ND011	73.01	68.14
ND012	73.01	68.14
ND013	73.01	68.14
ND014	73.01	68.14
ND015	73.01	68.14
ND016	73.01	68.14
ND017	73.01	68.14
ND019	73.01	68.14
ND021	73.01	68.14
ND022	73.01	68.14
ND024	73.01	68.14

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
ND025	73.01	68.14
ND026	73.01	68.14
ND028	73.01	68.14
ND030	73.01	68.14
ND031	73.01	68.14
ND035	73.01	68.14
ND036	73.01	68.14
ND037	73.01	68.14
ND038	73.01	68.14
ND039	73.01	68.14
ND040	73.01	68.14
ND044	73.01	68.14
ND049	73.01	68.14
ND052	73.01	68.14
ND054	73.01	68.14
ND055	73.01	68.14
ND057	73.01	68.14
ND070	73.01	68.14
ND901	73.01	68.14
NE001	68.21	63.67
NE002	67.32	62.84
NE003	67.18	62.70
NE004	67.18	62.70
NE010	67.18	62.70
NE041	67.18	62.70
NE078	67.18	62.70
NE083	67.18	62.70
NE094	67.18	62.70
NE100	67.18	62.70
NE104	67.18	62.70
NE114	67.18	62.70
NE120	67.18	62.70
NE123	67.18	62.70
NE141	67.18	62.70
NE143	67.18	62.70
NE150	67.18	62.70
NE153	68.21	63.67
NE157	67.18	62.70
NE174	68.21	63.67

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
NE175	67.92	63.40	NJ023	107.42	100.24
NE179	67.18	62.70	NJ025	107.42	100.24
NE180	67.92	63.40	NJ026	91.68	85.57
NE181	67.18	62.70	NJ030	91.68	85.57
NE182	67.18	62.70	NJ032	107.42	100.24
NH001	90.88	84.82	NJ033	110.00	102.68
NH002	96.56	90.11	NJ035	110.00	102.68
NH003	94.11	87.84	NJ036	91.68	85.57
NH004	94.11	87.84	NJ037	107.42	100.24
NH005	102.87	96.01	NJ039	107.42	100.24
NH006	94.11	87.84	NJ042	110.00	102.68
NH007	81.03	75.62	NJ043	110.00	102.68
NH008	94.11	87.84	NJ044	110.00	102.68
NH009	83.65	78.06	NJ046	107.69	100.51
NH010	96.13	89.72	NJ047	110.00	102.68
NH011	73.74	68.83	NJ048	107.69	100.51
NH012	78.55	73.32	NJ049	87.32	81.50
NH013	94.11	87.84	NJ050	107.42	100.24
NH014	94.11	87.84	NJ051	88.71	82.80
NH015	73.74	68.83	NJ052	107.42	100.24
NH016	73.74	68.83	NJ054	107.69	100.51
NH022	113.70	106.13	NJ055	110.00	102.68
NH888	96.56	90.11	NJ056	107.69	100.51
NH901	90.88	84.82	NJ058	88.71	82.80
NJ002	107.42	100.24	NJ059	90.83	84.79
NJ003	107.42	100.24	NJ060	107.69	100.51
NJ004	91.68	85.57	NJ061	87.32	81.50
NJ006	110.00	102.68	NJ063	87.32	81.50
NJ007	107.69	100.51	NJ065	107.69	100.51
NJ008	107.69	100.51	NJ066	107.42	100.24
NJ009	91.68	85.57	NJ067	110.00	102.68
NJ010	88.71	82.80	NJ068	107.42	100.24
NJ011	110.00	102.68	NJ070	110.00	102.68
NJ012	91.68	85.57	NJ071	110.00	102.68
NJ013	110.00	102.68	NJ073	88.71	82.80
NJ014	90.83	84.79	NJ074	88.71	82.80
NJ015	91.68	85.57	NJ075	110.00	102.68
NJ021	110.00	102.68	NJ077	91.68	85.57
NJ022	110.00	102.68	NJ081	107.69	100.51

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
NJ083	91.68	85.57
NJ084	110.00	102.68
NJ086	107.42	100.24
NJ088	107.42	100.24
NJ089	110.00	102.68
NJ090	110.00	102.68
NJ092	107.42	100.24
NJ095	107.69	100.51
NJ097	110.00	102.68
NJ099	107.42	100.24
NJ102	107.42	100.24
NJ105	107.42	100.24
NJ106	110.00	102.68
NJ108	107.42	100.24
NJ109	107.42	100.24
NJ110	110.00	102.68
NJ112	110.00	102.68
NJ113	107.42	100.24
NJ114	110.00	102.68
NJ118	88.71	82.80
NJ204	88.71	82.80
NJ212	105.54	98.50
NJ214	107.69	100.51
NJ880	107.69	100.51
NJ881	110.00	102.68
NJ882	107.42	100.24
NJ902	88.71	82.80
NJ912	107.42	100.24
NM001	77.12	71.98
NM002	59.70	55.72
NM003	61.21	57.13
NM006	77.15	71.99
NM009	91.27	85.18
NM020	60.41	56.37
NM033	59.70	55.72
NM039	59.70	55.72
NM050	91.27	85.18
NM057	77.12	71.98
NM061	59.70	55.72

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
NM063	60.41	56.37
NM066	75.90	70.83
NM067	59.70	55.72
NM077	77.12	71.98
NM088	63.66	59.42
NV001	80.68	75.30
NV018	90.62	84.59
NV905	80.68	75.30
NY001	71.97	67.18
NY002	67.27	62.80
NY003	112.04	104.58
NY005	97.39	90.89
NY006	65.89	61.51
NY009	78.22	73.00
NY012	78.22	73.00
NY015	78.22	73.00
NY016	68.25	63.70
NY017	59.88	55.89
NY018	63.48	59.25
NY019	65.89	61.51
NY020	78.22	73.00
NY021	69.13	64.52
NY022	78.22	73.00
NY023	112.04	104.58
NY025	78.22	73.00
NY027	71.97	67.18
NY028	78.22	73.00
NY033	78.22	73.00
NY034	65.89	61.51
NY035	112.04	104.58
NY038	112.04	104.58
NY041	82.34	76.85
NY042	112.04	104.58
NY044	82.34	76.85
NY045	88.09	82.21
NY048	56.80	53.01
NY049	100.10	93.43
NY050	112.04	104.58
NY051	100.10	93.43

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
NY054	76.93	71.81	NY130	112.04	104.58
NY057	112.04	104.58	NY132	112.04	104.58
NY059	65.89	61.51	NY134	100.10	93.43
NY060	72.75	67.90	NY137	100.10	93.43
NY061	65.57	61.20	NY138	97.39	90.89
NY062	100.10	93.43	NY141	112.04	104.58
NY065	66.43	62.01	NY146	112.04	104.58
NY066	66.94	62.49	NY147	112.04	104.58
NY067	63.36	59.13	NY148	97.39	90.89
NY068	62.07	57.93	NY149	112.04	104.58
NY070	67.27	62.80	NY151	112.04	104.58
NY071	74.22	69.27	NY152	112.04	104.58
NY073	74.05	69.12	NY154	112.04	104.58
NY077	112.04	104.58	NY158	100.10	93.43
NY079	74.05	69.12	NY159	112.04	104.58
NY084	97.39	90.89	NY160	97.39	90.89
NY085	112.04	104.58	NY165	112.04	104.58
NY086	112.04	104.58	NY402	69.50	64.86
NY087	61.05	56.97	NY403	56.54	52.77
NY088	112.04	104.58	NY404	67.27	62.80
NY089	82.34	76.85	NY405	67.27	62.80
NY091	67.27	62.80	NY406	82.34	76.85
NY094	112.04	104.58	NY408	78.22	73.00
NY098	72.75	67.90	NY409	67.27	62.80
NY102	71.97	67.18	NY413	72.75	67.90
NY103	88.09	82.21	NY416	78.22	73.00
NY107	71.97	67.18	NY417	65.89	61.51
NY109	65.89	61.51	NY421	78.22	73.00
NY110	97.39	90.89	NY422	78.22	73.00
NY111	112.04	104.58	NY424	78.22	73.00
NY113	112.04	104.58	NY427	78.22	73.00
NY114	97.39	90.89	NY428	78.22	73.00
NY117	112.04	104.58	NY430	78.22	73.00
NY120	112.04	104.58	NY431	78.22	73.00
NY121	112.04	104.58	NY433	56.80	53.01
NY123	112.04	104.58	NY443	65.89	61.51
NY125	100.10	93.43	NY447	78.22	73.00
NY127	112.04	104.58	NY449	67.27	62.80
NY128	112.04	104.58	NY501	78.22	73.00

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
NY503	78.22	73.00	OH010	57.33	53.51
NY504	71.97	67.18	OH012	69.83	65.16
NY505	68.25	63.70	OH014	60.56	56.52
NY512	78.22	73.00	OH015	67.62	63.10
NY513	78.22	73.00	OH016	59.17	55.23
NY516	78.22	73.00	OH018	59.17	55.23
NY519	78.22	73.00	OH019	59.61	55.63
NY521	71.97	67.18	OH020	57.33	53.51
NY522	61.05	56.97	OH021	61.68	57.57
NY527	71.97	67.18	OH022	61.68	57.57
NY529	88.09	82.21	OH024	57.33	53.51
NY530	72.75	67.90	OH025	69.83	65.16
NY532	78.22	73.00	OH026	58.28	54.39
NY534	65.89	61.51	OH027	69.83	65.16
NY535	78.22	73.00	OH028	61.05	56.98
NY538	78.22	73.00	OH029	67.66	63.14
NY541	62.07	57.93	OH030	57.33	53.51
NY552	65.89	61.51	OH031	68.69	64.11
NY557	78.22	73.00	OH032	57.91	54.05
NY561	78.22	73.00	OH033	57.33	53.51
NY562	78.22	73.00	OH034	57.91	54.05
NY564	78.22	73.00	OH035	57.33	53.51
NY630	78.22	73.00	OH036	57.60	53.76
NY888	112.04	104.58	OH037	57.33	53.51
NY889	59.88	55.89	OH038	67.62	63.10
NY891	112.04	104.58	OH039	57.33	53.51
NY892	112.04	104.58	OH040	57.33	53.51
NY895	112.04	104.58	OH041	57.33	53.51
NY904	112.04	104.58	OH042	69.83	65.16
NY912	67.27	62.80	OH043	66.23	61.81
OH001	66.23	61.81	OH044	60.15	56.13
OH002	60.15	56.13	OH045	57.33	53.51
OH003	69.83	65.16	OH046	57.33	53.51
OH004	67.62	63.10	OH047	57.33	53.51
OH005	61.68	57.57	OH049	67.62	63.10
OH006	69.40	64.78	OH050	57.33	53.51
OH007	68.69	64.11	OH053	57.33	53.51
OH008	60.15	56.13	OH054	59.75	55.76
OH009	57.33	53.51	OH056	57.33	53.51

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
OH058	57.33	53.51	OK096	60.69	56.64
OH059	66.23	61.81	OK099	60.69	56.64
OH060	57.33	53.51	OK111	60.69	56.64
OH061	58.66	54.74	OK118	60.69	56.64
OH062	61.68	57.57	OK139	63.25	59.04
OH063	57.33	53.51	OK142	61.53	57.43
OH066	57.33	53.51	OK146	60.69	56.64
OH067	57.33	53.51	OK148	62.39	58.23
OH069	57.33	53.51	OK901	63.25	59.04
OH070	66.23	61.81	OR001	80.90	75.49
OH071	69.40	64.78	OR002	80.90	75.49
OH072	57.33	53.51	OR003	82.60	77.10
OH073	69.83	65.16	OR005	76.87	71.75
OH074	58.94	55.01	OR006	92.96	86.77
OH075	57.33	53.51	OR007	79.03	73.76
OH076	57.33	53.51	OR008	86.85	81.06
OH077	57.33	53.51	OR011	86.85	81.06
OH078	57.33	53.51	OR014	86.85	81.06
OH079	66.23	61.81	OR015	92.35	86.20
OH080	58.73	54.81	OR016	80.90	75.49
OH081	59.17	55.23	OR017	75.44	70.42
OH082	57.48	53.64	OR019	82.12	76.63
OH083	66.23	61.81	OR020	82.60	77.10
OH085	69.40	64.78	OR022	80.90	75.49
OH086	57.33	53.51	OR026	83.61	78.03
OH880	69.83	65.16	OR027	75.44	70.42
OH882	69.83	65.16	OR028	80.90	75.49
OK002	63.25	59.04	OR031	84.14	78.54
OK005	61.53	57.43	OR032	79.03	73.76
OK006	60.69	56.64	OR034	89.29	83.34
OK024	60.69	56.64	PA001	61.91	57.78
OK027	60.69	56.64	PA002	88.71	82.80
OK032	60.69	56.64	PA003	60.02	56.02
OK033	61.53	57.43	PA004	75.55	70.51
OK044	60.69	56.64	PA005	61.91	57.78
OK062	60.69	56.64	PA006	61.91	57.78
OK067	60.69	56.64	PA007	88.71	82.80
OK073	61.53	57.43	PA008	77.32	72.16
OK095	62.39	58.23	PA009	73.68	68.76



<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
PA010	61.91	57.78	PA052	77.32	72.16
PA011	75.55	70.51	PA053	63.50	59.25
PA012	88.71	82.80	PA054	62.13	57.97
PA013	75.16	70.15	PA055	63.50	59.25
PA014	61.91	57.78	PA056	60.75	56.70
PA015	61.91	57.78	PA057	60.02	56.02
PA016	68.56	63.99	PA058	62.95	58.74
PA017	61.91	57.78	PA059	60.75	56.70
PA018	61.91	57.78	PA060	63.50	59.25
PA019	63.53	59.30	PA061	63.50	59.25
PA020	69.75	65.10	PA063	63.50	59.25
PA021	63.53	59.30	PA064	61.28	57.21
PA022	70.97	66.23	PA065	63.50	59.25
PA023	88.71	82.80	PA067	75.55	70.51
PA024	75.55	70.51	PA068	61.28	57.21
PA026	62.95	58.74	PA069	65.42	61.06
PA027	59.66	55.67	PA071	73.68	68.76
PA028	80.57	75.21	PA073	60.02	56.02
PA029	64.45	60.15	PA074	61.28	57.21
PA030	60.02	56.02	PA075	77.32	72.16
PA031	65.42	61.06	PA076	75.55	70.51
PA032	63.14	58.92	PA077	62.13	57.97
PA033	62.95	58.74	PA078	97.94	91.41
PA034	67.50	62.99	PA079	62.95	58.74
PA035	77.32	72.16	PA080	62.13	57.97
PA036	78.53	73.30	PA081	75.55	70.51
PA037	68.56	63.99	PA082	71.85	67.06
PA038	60.02	56.02	PA083	60.54	56.50
PA039	72.72	67.87	PA085	59.66	55.67
PA041	62.80	58.61	PA086	60.75	56.70
PA042	60.02	56.02	PA087	75.16	70.15
PA043	60.02	56.02	PA088	84.22	78.60
PA044	60.02	56.02	PA090	78.53	73.30
PA045	63.50	59.25	PA091	71.59	66.81
PA046	88.71	82.80	PA092	61.43	57.33
PA047	60.02	56.02	RI001	113.76	106.18
PA048	73.77	68.85	RI002	113.76	106.18
PA050	61.28	57.21	RI003	113.76	106.18
PA051	88.71	82.80	RI004	113.76	106.18

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
RI005	108.67	101.42
RI006	113.76	106.18
RI007	113.76	106.18
RI008	98.91	92.32
RI009	113.76	106.18
RI010	113.76	106.18
RI011	113.76	106.18
RI012	113.76	106.18
RI013	108.67	101.42
RI014	113.76	106.18
RI015	113.76	106.18
RI016	113.76	106.18
RI017	113.76	106.18
RI018	113.76	106.18
RI019	113.76	106.18
RI020	113.76	106.18
RI022	113.76	106.18
RI024	113.76	106.18
RI026	113.76	106.18
RI027	113.76	106.18
RI028	113.76	106.18
RI029	113.76	106.18
RI901	113.76	106.18
RQ006	79.99	74.65
RQ007	74.42	69.46
RQ008	79.99	74.65
RQ009	74.42	69.46
RQ010	74.42	69.46
RQ011	79.99	74.65
RQ012	74.42	69.46
RQ013	79.99	74.65
RQ014	79.99	74.65
RQ015	79.99	74.65
RQ016	79.99	74.65
RQ017	74.42	69.46
RQ018	74.42	69.46
RQ019	79.99	74.65
RQ020	81.73	76.28
RQ021	79.99	74.65

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
RQ022	79.99	74.65
RQ023	79.99	74.65
RQ024	79.99	74.65
RQ025	79.99	74.65
RQ026	74.42	69.46
RQ027	79.99	74.65
RQ028	79.99	74.65
RQ029	74.42	69.46
RQ030	74.42	69.46
RQ031	74.42	69.46
RQ032	79.99	74.65
RQ033	74.42	69.46
RQ034	79.99	74.65
RQ035	74.42	69.46
RQ036	79.99	74.65
RQ037	74.42	69.46
RQ038	79.99	74.65
RQ039	81.73	76.28
RQ040	81.73	76.28
RQ041	74.42	69.46
RQ042	74.42	69.46
RQ043	74.42	69.46
RQ044	79.99	74.65
RQ045	79.99	74.65
RQ046	74.42	69.46
RQ047	79.99	74.65
RQ048	74.42	69.46
RQ049	79.99	74.65
RQ050	79.99	74.65
RQ052	74.42	69.46
RQ053	79.99	74.65
RQ054	79.99	74.65
RQ055	74.42	69.46
RQ056	79.99	74.65
RQ057	74.42	69.46
RQ058	74.42	69.46
RQ059	74.42	69.46
RQ060	74.42	69.46
RQ061	74.42	69.46

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
RQ062	74.42	69.46	SC027	64.01	59.74
RQ063	79.99	74.65	SC028	62.29	58.14
RQ064	79.99	74.65	SC029	64.01	59.74
RQ065	74.42	69.46	SC030	62.29	58.14
RQ066	74.42	69.46	SC031	62.29	58.14
RQ067	74.42	69.46	SC032	64.01	59.74
RQ068	74.42	69.46	SC033	62.29	58.14
RQ069	74.42	69.46	SC034	64.01	59.74
RQ070	79.99	74.65	SC035	62.29	58.14
RQ071	74.42	69.46	SC036	69.77	65.11
RQ072	79.99	74.65	SC037	64.01	59.74
RQ073	74.42	69.46	SC046	69.77	65.11
RQ074	74.42	69.46	SC056	69.37	64.74
RQ075	79.99	74.65	SC057	69.37	64.74
RQ077	79.99	74.65	SC059	62.29	58.14
RQ080	74.42	69.46	SC911	70.12	65.44
RQ081	79.99	74.65	SD010	66.43	61.99
RQ082	79.99	74.65	SD011	63.95	59.69
RQ083	79.99	74.65	SD014	63.95	59.69
RQ901	79.99	74.65	SD016	66.43	61.99
RQ911	79.99	74.65	SD021	63.95	59.69
SC001	69.37	64.74	SD026	63.95	59.69
SC002	70.12	65.44	SD034	63.95	59.69
SC003	64.01	59.74	SD035	69.49	64.85
SC004	64.01	59.74	SD036	63.95	59.69
SC005	64.01	59.74	SD037	63.95	59.69
SC007	66.56	62.12	SD039	66.43	61.99
SC008	64.01	59.74	SD043	63.95	59.69
SC015	62.29	58.14	SD045	63.95	59.69
SC016	64.01	59.74	SD047	63.95	59.69
SC018	64.01	59.74	SD048	63.95	59.69
SC019	64.01	59.74	SD055	63.95	59.69
SC020	64.01	59.74	SD056	63.95	59.69
SC021	62.29	58.14	SD057	63.95	59.69
SC022	69.77	65.11	SD058	63.95	59.69
SC023	64.01	59.74	SD059	63.95	59.69
SC024	69.37	64.74	TN001	64.89	60.56
SC025	64.01	59.74	TN002	60.17	56.16
SC026	65.32	60.96	TN003	60.52	56.50

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
TN004	65.78	61.39	TX021	59.85	55.86
TN005	71.91	67.12	TX023	71.27	66.51
TN006	60.17	56.16	TX025	63.24	59.03
TN007	60.17	56.16	TX027	83.20	77.66
TN012	60.52	56.50	TX028	62.52	58.35
TN013	59.67	55.69	TX029	62.52	58.35
TN020	71.91	67.12	TX030	62.37	58.21
TN024	59.67	55.69	TX031	81.14	75.73
TN026	59.67	55.69	TX032	73.60	68.70
TN035	71.91	67.12	TX034	71.27	66.51
TN038	60.17	56.16	TX035	60.00	55.99
TN042	59.67	55.69	TX037	71.27	66.51
TN054	60.17	56.16	TX039	59.85	55.86
TN062	59.67	55.69	TX042	59.85	55.86
TN065	60.52	56.50	TX044	59.85	55.86
TN066	60.17	56.16	TX046	62.52	58.35
TN076	60.17	56.16	TX048	59.85	55.86
TN079	71.91	67.12	TX049	59.85	55.86
TN088	60.52	56.50	TX051	62.52	58.35
TN113	60.52	56.50	TX062	62.52	58.35
TN117	65.78	61.39	TX064	62.52	58.35
TN903	71.91	67.12	TX065	63.24	59.03
TQ901	112.56	105.07	TX072	59.85	55.86
TX001	81.14	75.73	TX073	62.52	58.35
TX003	68.93	64.33	TX075	59.85	55.86
TX004	77.52	72.35	TX079	62.37	58.21
TX005	73.60	68.70	TX081	59.85	55.86
TX006	71.32	66.58	TX085	86.42	80.65
TX007	63.24	59.03	TX087	81.14	75.73
TX008	72.72	67.87	TX095	83.20	77.66
TX009	83.20	77.66	TX096	59.85	55.86
TX010	62.37	58.21	TX105	59.85	55.86
TX011	62.37	58.21	TX111	63.82	59.57
TX012	73.60	68.70	TX114	59.85	55.86
TX014	62.37	58.21	TX128	83.20	77.66
TX016	59.85	55.86	TX134	59.85	55.86
TX017	73.60	68.70	TX137	62.37	58.21
TX018	62.37	58.21	TX147	59.85	55.86
TX019	59.85	55.86	TX152	59.85	55.86

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
TX158	62.37	58.21	TX341	69.94	65.28
TX163	72.72	67.87	TX343	71.32	66.58
TX164	72.72	67.87	TX349	77.52	72.35
TX173	63.24	59.03	TX350	71.32	66.58
TX174	72.72	67.87	TX358	59.85	55.86
TX175	59.85	55.86	TX372	59.85	55.86
TX177	62.52	58.35	TX376	59.85	55.86
TX178	59.85	55.86	TX377	81.14	75.73
TX183	59.85	55.86	TX378	60.00	55.99
TX189	59.85	55.86	TX381	59.85	55.86
TX193	71.32	66.58	TX392	83.20	77.66
TX197	62.37	58.21	TX395	61.83	57.70
TX201	59.85	55.86	TX396	59.85	55.86
TX202	62.52	58.35	TX397	59.85	55.86
TX206	63.24	59.03	TX421	59.85	55.86
TX208	62.37	58.21	TX431	77.52	72.35
TX210	62.37	58.21	TX432	68.93	64.33
TX217	59.85	55.86	TX433	77.52	72.35
TX224	62.52	58.35	TX434	83.20	77.66
TX236	62.37	58.21	TX435	83.20	77.66
TX242	59.85	55.86	TX436	83.20	77.66
TX257	62.37	58.21	TX439	68.93	64.33
TX259	81.14	75.73	TX440	73.60	68.70
TX263	59.85	55.86	TX441	73.60	68.70
TX264	81.14	75.73	TX444	62.37	58.21
TX266	81.14	75.73	TX445	62.52	58.35
TX272	59.85	55.86	TX447	62.52	58.35
TX284	59.85	55.86	TX448	62.52	58.35
TX298	59.85	55.86	TX449	59.85	55.86
TX300	59.85	55.86	TX452	71.32	66.58
TX302	72.72	67.87	TX454	59.85	55.86
TX303	71.32	66.58	TX455	80.15	74.80
TX309	59.85	55.86	TX456	71.11	66.37
TX313	72.72	67.87	TX457	67.12	62.64
TX322	81.14	75.73	TX458	62.37	58.21
TX327	62.37	58.21	TX459	69.94	65.28
TX330	59.85	55.86	TX461	63.67	59.44
TX332	59.85	55.86	TX470	62.37	58.21
TX335	59.85	55.86	TX472	62.37	58.21

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
TX480	81.14	75.73	UT011	67.70	63.18
TX481	62.37	58.21	UT014	82.77	77.25
TX482	62.37	58.21	UT015	82.77	77.25
TX483	73.60	68.70	UT016	82.77	77.25
TX484	79.48	74.18	UT020	67.70	63.18
TX485	59.85	55.86	UT021	69.72	65.08
TX486	60.84	56.77	UT022	67.70	63.18
TX488	59.85	55.86	UT025	67.70	63.18
TX493	83.20	77.66	UT026	67.70	63.18
TX495	77.52	72.35	UT028	82.77	77.25
TX497	62.52	58.35	UT029	82.77	77.25
TX498	63.82	59.57	UT030	67.70	63.18
TX499	62.37	58.21	UT031	72.77	67.91
TX500	59.85	55.86	VA001	75.94	70.88
TX505	73.60	68.70	VA002	60.17	56.16
TX509	63.24	59.03	VA003	75.94	70.88
TX511	59.85	55.86	VA004	111.97	104.51
TX512	59.85	55.86	VA005	68.89	64.29
TX514	62.37	58.21	VA006	75.94	70.88
TX516	59.85	55.86	VA007	68.89	64.29
TX519	59.85	55.86	VA010	57.95	54.09
TX522	83.20	77.66	VA011	60.62	56.57
TX523	63.82	59.57	VA012	75.94	70.88
TX526	83.35	77.79	VA013	61.31	57.22
TX533	83.20	77.66	VA014	61.31	57.22
TX534	80.15	74.80	VA015	54.52	50.89
TX535	59.85	55.86	VA016	77.03	71.89
TX537	59.85	55.86	VA017	75.94	70.88
TX542	62.37	58.21	VA018	54.52	50.89
TX546	62.37	58.21	VA019	111.97	104.51
TX559	83.20	77.66	VA020	68.89	64.29
TX560	73.60	68.70	VA021	54.52	50.89
TX901	73.60	68.70	VA022	55.73	52.01
UT002	67.70	63.18	VA023	55.73	52.01
UT003	67.70	63.18	VA024	54.52	50.89
UT004	67.70	63.18	VA025	75.94	70.88
UT006	72.77	67.91	VA028	111.97	104.51
UT007	67.70	63.18	VA030	54.52	50.89
UT009	67.70	63.18	VA031	60.17	56.16

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
VA032	60.17	56.16	WA024	95.73	89.33
VA034	54.52	50.89	WA025	92.86	86.66
VA035	111.97	104.51	WA036	86.40	80.64
VA036	77.03	71.89	WA039	97.82	91.28
VA037	54.66	51.00	WA042	78.46	73.22
VA038	54.52	50.89	WA049	89.26	83.30
VA039	75.94	70.88	WA054	83.06	77.54
VA040	54.52	50.89	WA055	75.14	70.14
VA041	75.94	70.88	WA057	81.58	76.14
VA042	60.17	56.16	WA061	84.90	79.24
VA044	55.71	51.99	WA064	77.26	72.10
VA046	111.97	104.51	WA071	68.86	64.26
VA901	68.89	64.29	WI001	65.04	60.71
VQ901	97.78	91.26	WI002	64.11	59.85
VT001	92.70	86.52	WI003	71.36	66.61
VT002	80.03	74.69	WI006	61.34	57.25
VT003	82.78	77.26	WI011	54.36	50.73
VT004	81.95	76.49	WI019	53.48	49.91
VT005	76.73	71.61	WI020	87.93	82.07
VT006	92.70	86.52	WI031	53.48	49.91
VT008	76.73	71.61	WI043	53.98	50.39
VT009	77.55	72.38	WI045	53.48	49.91
VT901	92.70	86.52	WI047	53.48	49.91
WA001	97.82	91.28	WI048	53.48	49.91
WA002	97.82	91.28	WI060	87.93	82.07
WA003	86.40	80.64	WI064	59.49	55.53
WA004	81.48	76.04	WI065	53.98	50.39
WA005	83.06	77.54	WI068	54.36	50.73
WA006	97.82	91.28	WI069	54.36	50.73
WA007	66.60	62.16	WI070	53.48	49.91
WA008	80.90	75.49	WI083	64.11	59.85
WA011	97.82	91.28	WI085	53.48	49.91
WA012	75.46	70.42	WI091	53.48	49.91
WA013	75.61	70.56	WI096	53.48	49.91
WA014	62.83	58.64	WI127	53.48	49.91
WA017	64.88	60.56	WI131	53.48	49.91
WA018	81.48	76.04	WI142	64.11	59.85
WA020	66.60	62.16	WI160	53.48	49.91
WA021	75.46	70.42	WI166	53.48	49.91

<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>	<b>PHA</b>	<b>Column A Rate</b>	<b>Column B Rate</b>
WI183	58.57	54.66	WI256	53.48	49.91
WI186	53.74	50.15	WI901	53.48	49.91
WI193	53.48	49.91	WV001	72.30	67.48
WI195	66.30	61.87	WV003	57.33	53.51
WI201	64.11	59.85	WV004	59.61	55.63
WI203	59.49	55.53	WV005	57.22	53.40
WI204	54.36	50.73	WV006	60.26	56.24
WI205	53.48	49.91	WV009	60.90	56.84
WI206	53.48	49.91	WV010	62.12	57.98
WI208	53.48	49.91	WV015	57.22	53.40
WI213	53.98	50.39	WV016	60.56	56.52
WI214	71.36	66.61	WV017	57.22	53.40
WI218	64.11	59.85	WV018	57.22	53.40
WI219	59.49	55.53	WV027	58.41	54.52
WI221	53.48	49.91	WV034	57.22	53.40
WI222	53.48	49.91	WV035	58.41	54.52
WI230	53.48	49.91	WV037	59.61	55.63
WI231	53.48	49.91	WV039	57.22	53.40
WI233	53.48	49.91	WV042	57.22	53.40
WI237	54.48	50.85	WV045	57.22	53.40
WI241	53.48	49.91	WV046	57.22	53.40
WI242	53.48	49.91	WY002	83.29	77.75
WI244	58.71	54.79	WY003	68.07	63.53
WI245	53.48	49.91	WY004	100.36	93.68
WI246	54.23	50.60	WY013	68.07	63.53
WI248	53.48	49.91			

[FR Doc. 2018-06984 Filed: 4/4/2018 8:45 am;  
Publication Date: 4/5/2018]